



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED

JUN 7 2001

PATENT APPLICATION

Technology Center 2100

Applicant: Wilko Juurt Jan KUIPER

Case: PTT-89/APP (402632US)

Serial No.: 09/827,068

Filed: April 5, 2001

Group Art Unit: 2122

Confirmation No.: 7219

Examiner:

Title: A KNOWLEDGE SYSTEM AND METHODS OF BUSINESS ALERTING

AND BUSINESS ANALYSIS

Commissioner for Patents Washington, D.C. 20231

SIR:

SUBMISSION OF PRIORITY DOCUMENT

In connection with the above-captioned application, applicants enclose the following priority document to support the claim to priority:

European Appl. No. 00201227.6, filed 5 April 2000.

Respectfully submitted,

May 29, 2001

Peter L. Michaelson, Attorney

Reg. No. 30,090

Customer No. 007265

(732) 530-6671

Bandani State

RECEIVED

JUN 7 2001

Technology Center 2100

MICHAELSON & WALLACE Counselors at Law Parkway 109 Office Center 328 Newman Springs Road P.O. Box 8489 Red Bank, New Jersey 07701

CERTIFICATE OF MAILING under 37 C.F.R. 1.8(a)

I hereby certify that this correspondence is being deposited on May 30, 2001 with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to the Commissioner for Patents, Washington, D.C. 20231.

Signature L'algulan

Reg. No.



Europäisches **Patentamt**



European **Patent Office**

Office européen des brevets

RECEIVED

JUN 7 2001

Technology Center 2100

Bescheinigung

Certificate

Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application conformes à la version described on the following page, as originally filed.

Les documents fixés à cette attestation sont initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patentanmeldung Nr.

Patent application No. Demande de brevet n°

00201227.6

Der Präsident des Europäischen Patentamts; Im Auftrag

For the President of the European Patent Office Le Président de l'Office européen des brevets

I.L.C. HATTEN-HECKMAN

DEN HAAG, DEN THE HAGUE, LA HAYE, LE

02/04/01



Europäisches **Patentamt**

European **Patent Office**

Office européen des brevets

Blatt 2 der Bescheinigung Sheet 2 of the certificate Page 2 de l'attestation

Anmeldung Nr.: Application no.: Demande n°:

00201227.6

Anmeldetag: Date of filing: Date de dépôt:

05/04/00

Anmelder: Applicant(s): Demandeur(s):

Koninklijke KPN N.V. 9726 AE Groningen

NETHERLANDS

Bezeichnung der Erfindung: Title of the invention: Titre de l'invention:

A knowledge system and methods of business alerting or analysis

In Anspruch genommene Prioriät(en) / Priority(ies) claimed / Priorité(s) revendiquée(s)

Staat:

State: Pays: Tag:

Date:

Aktenzeichen:

File no. Numéro de dépôt:

Internationale Patentklassifikation: International Patent classification: Classification internationale des brevets:

G06F17/60

Am Anmeldetag benannte Vertragstaaten:
Contracting states designated at date of filing: AT/BE/CH/CY/DE/DK/ES/FI/FR/GB/GR/IE/IT/LI/LU/MC/NL/PT/SE/TR
Etats contractants désignés lors du depôt:

Bemerkungen: Remarks: Remarques:







05. 04. 2000

A KNOWLEDGE SYSTEM AND

(61)

METHODS OF BUSINESS ALERTING AND BUSINESS ANALYSIS

FIELD OF THE INVENTION

The present invention is related to the field of knowledge or expert systems and to methods of business processing. More in particular a novel knowledge system and novel methods of business processing making use of knowledge relations are disclosed.

10

15

20

25

30

5

BACKGROUND OF THE INVENTION

Knowledge or expert systems are known in the art. An example of such system is the Service Assurance Center system, commercially provided by the company BMC Software, the publicly available information about this system being incorporated herein by reference. The SA Center gives Information Technology organizations a view of:

- how services are performing;
- whether services are available at any given moment around the world; and
- how both its internal staff and external customers are using its application services.

The Service Assurance system is monitoring Center Information (IT) Technology systems including infrastructure and software application parts. This monitoring is executed by synthetic transactions wherein for example a Personal Computer is monitoring by emulating the behavior of a user. Hereby information can be gathered whether and to what extent parts of the IT systems are correctly working or are correctly emulating physical infrastructure.

PROBLEM DEFINITION AND AIM OF THE INVENTION

The Knowledge or expert systems provide a tool for controlling and/or managing the IT systems being part of a



15

20

25

30

business. The Knowledge or expert systems of the prior art however fail to correlate business processes or functions to changes or disturbances in the IT system. It is needed in the art to provide knowledge systems that provide business processes information about the actual functions being correlated or linked to or influenced by an Thus there is a need to provide a knowledge IT system. business the actual communicates about that system processes or functions instead of about the underlying IT system.

There is a further problem in the art that the IT systems that are developed to manage or monitor the business processes or functions, are becoming more and more complex. Therefore it is difficult to analyze the impact of functional errors in parts of the IT systems on the performance of the whole IT system. Prior art solutions do not tackle this problem to a sufficient level.

SUMMARY OF THE INVENTION

A number of aspects of the present invention is detailed herebelow; the different aspects and the embodiments described in the detailed description and any features thereof can be combined.

In a first aspect of the present invention a knowledge system compiled on a computer environment or a memory The knowledge system couples disclosed. carrier is or more business processes about one information functions to one or more software components stored in the computer environment, and the knowledge system triggers signal about the business processes or functions towards a in the software in case of a change user interface The user interface can be part of the computer components. environment, but the user interface can also be external to the computer environment and be linked by a communication channel to the knowledge system. Said user interface can be



15

20

25

30





a computer screen, a mobile telephone, or a flat panel or whatever user interface known to the person of skill in the The user interface can also include the World-Wide-Web internet or intranet infrastructure. interface can be available to a manager or operator or user or developer of the business processes or functions. memory carrier can be a floppy disk or a CD-ROM or Digital Video Disk or whatever memory carrier known to the person of skill in the art. The software components can include all kind of Information Technology infrastructure known to the person of skill in the art, including network connections, files, database, and software applications. The software components furthermore can be coupled to the physical infrastructure on which the business processes or functions are based. The business process or functions can include for example a business process of communication such as a fixed-telephone telecommunication connection and can include the Information Technology system including the operating system and hardware of the business process, and the networkconnections of the telephone network. The business process or functions for example can also include financial processes such as investment funds management or financial transaction business processes or production installation processes such as the actual production processes in a chemical plant or for car manufacturing. the business processes or functions integrated business process or functions with a complexity of individual business steps that are related one to the other. Thus the business processes or functions preferably

The knowledge system can be used for example for the following applications :

are broader than setting up a one-to-one connection between an error identification in a software component and a corresponding troubleshooting message to a user interface.

10

15

20

25

30

- (i) indicating which business processes or functions are influenced by a disturbance in the software components;
- (ii) indicating which business processes or functions are influenced by a functional error in the software components;
- (iii) indicating which business processes or functions are influenced by a functional error in the software components that can not directly be monitored;
- (iv) indicating which business processes or functions are influenced by an externally applied change, possibly a predetermined change for performing impact analysis, in the software components;
 - (v) providing information to users or operators of the business processes or functions about the availability of the business processes or functions and/or the functioning of the software components;
 - (vi) monitoring the business processes or functions.

The coupling of information about one or more business processes or functions to one or more software components The coupling can include a can be done in several ways. correlation between one or more business processes functions to one or more software components and or include a straightforward link with a number of call-in procedures between one or more business processes or functions to one At least part of the coupled or more software components. information can be stored in a relational database stored The relational database for on said computer environment. example can be based on ACCESS, or can be based on database software provided by ORACLE, SYBASE, or SEQUEL SERVER or any other relational database software known to the person of skill in the art.

The knowledge system can further include or can include a link to a software component stored on said computer environment wherein information and historical

15

20

25

30



data about changes that occurred in the software components is stored, together with the corresponding information about the business processes or functions.

In a second aspect of the present invention a method 5 of monitoring or alerting about business processes functions is disclosed. The method comprises the steps of linking information about one or more business functions or processes to one or more software components stored on a computer environment; and providing a link to a user interface, said link being activated when at least one change is occurring in said software components.

In a third aspect of the present invention a of analyzing one or more business functions or processes is disclosed, the method comprising the steps of linking information about the business functions or processes to one or more software components stored on a computer environment; providing a link to a user interface activating said link by creating at least one change in said software components; and monitoring the impact of said change on at least one of said business functions or The step of monitoring said impact can further be executed by analyzing a signal being generated on said user interface by said link.

In a fourth aspect of the present invention, of analyzing one or more business functions or processes is disclosed, the method comprising the steps of linking information about the business functions or processes to one or more software components of at least two knowledge systems stored on a computer environment; providing a link to a user interface, said link being activated when at least one change is occurring in said software components and generating a signal on a user interface; and comparing on said user interface the signals created by at least two of the knowledge systems.



15

25

Also in another aspect of the present invention, a method of conducting business is disclosed.

this number of terms used throughout application are further detailed herebelow in order to complement the understanding of the person of skill in the art of these terms. A knowledge system can also be defined as an expert system. A change in the software components including whatever nature changes of include can disfunctioning or disturbances or errors of the software components.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1a and 1b schematically show the architecture of an example embodiment of a knowledge system of the present invention, including additional software components.

Figure 2a shows an embodiment of the infrastructure of an example business process of fixed-telephone connections.

20 Figure 2b shows a number of operations being part of a business process.

Figure 3 shows an embodiment of a user interface showing geographic information about a business process.

Figure 4 schematically shows dependencies within the functionality of the NERVECENTER knowledge system according to a best mode embodiment of the invention.

30 DETAILED DESCRIPTION OF THE INVENTION

For the purpose of teaching of the invention, a preferred embodiment of a knowledge system and methods of the invention are described in the sequel. It will be apparent to the person skilled in the art that other alternative and equivalent embodiments of the invention can

15

20

25

30

be conceived and reduced to practice without departing form true spirit of the invention, the scope of the invention being limited only by the appended claims.

Figure 1a schematically shows the architecture of an 5 example embodiment of a knowledge system of the present invention. Figure 1b schematically shows the architecture of an example embodiment of a knowledge system of the including present invention. additional software components. The knowledge system of the invention includes the part SI which is a relational database (13) that includes the information about the coupling relations between the software components and the business Incoming signals (11) from the processes or functions. software components (10) are fed to a central agent (12). The signals can include the signaling of a change or a disturbance or an error in the software components. The central agent (12) can include functionality on filtering of the incoming signals. The signals from the central agent (12) thereafter are fed to the relational database The signals can also be fed directly to the relational database (13). In the relational database, the links are available and are made between the software components (10) and the corresponding business processes or functions. Links are then automatically generated via the central agent (12) to user interfaces and a database that stores the occurrence of incoming signals (the historical service degradation database (15)). A signal is generated towards the user interfaces and the historical service degradation database. The signal is popping up on the user interface. From the user interface reports can be drawn on the business processes affected by the signaling about the change or disturbance or error in the software components and on the contents of the historical database. functionality that can be included in the knowledge system is functionality and smoothly integrating new software

components and smoothly interfacing to other knowledge systems or other computer environments.

In the development of the relational database, there are a number of steps that can be followed. A first step of the business flow and the includes the analysis analysis of the technical (IT) components that support the the This includes step flow. process business the within functional transactions identification of business process, the documentation of possible errors and known failure points, and of known problems within the 10 business transaction flow and the technical IT components. A next step can include the definition of the relationship and dependencies between the individual business steps or and the dependencies transactions within the process, or transactions between the individual business steps 15 within the process and software components of the infrastructure supporting the business process on the other The mapping of the business and IT infrastructure can include the definition of the correlation of the impact of the IT infrastructure events on the business process 20 a definition Furthermore can be provided threshold alarm levels and alerts and the definition of data presentation formats and reporting formats. results of these steps are stored as dependencies in a relational database and as links to separate software 25 components and as separate software components. There can be provide further a software application that monitors the business process flow and an application that monitors the software components. The further functionality of links to a user interface and other functionalities of the knowledge 30 system are to be provided.

Figure 2a shows an embodiment of the infrastructure of an example business process of fixed-telephone connections. Figure 2b shows a number of operations being part of the business process. Figure 3 shows according to



15

20

25

30





9

a best mode embodiment of the invention, a user interface showing geographic information about the business process. The business process, as stated above, is the one of the business process of fixed-telephone connections. the parts of this system is the CIA (Client Order Entrance Application) module. This CIA is interfacing for the entrance of client orders from the consumer market. CIA is the first part of a chain of software components that link the client order ultimately to the switch connection orders in the telephone central units. client orders are registered on line. The interfaces to software components shown in figure including modules with client data, infrastructure data, telephone number data, rent data and billing data. example the module KANVAS provides to the CIA information about the technical infrastructure such connections etc. . CIA provides to KANVAS the changes that are needed in the technical infrastructure for performing the client order. NUMBES for example contains a database of telephone numbers. A new number is generated and added to the database; an operator connection is made. 16-bit application and can run under а WINDOWS environment on a PC such as a Fujitsu PC or a DELL PC or any similar PC known to the person of skill in the art. The CIA only contains configuration files; data are stored in the other software components. The different interfaces are based on RPC (T-AAK). The performance of the KANVAS systems is monitored with SYSTAR software. Performance problems of KANVAS lead to a stacking of transactions in the CIA. In order to cope with such problems a knowledge system of the invention such as the NERVECENTER software shell is to be implemented in order to provide incident control, problem control, change control, configuration management and service level management. The dependencies in the business process of fixed-telephone connections are






15





analyzed up to the level of the software components that constitute or monitor the technical process of fixedtelephone connections. These dependencies are stored in a relational database. Scripts are coupled hereto and these scripts generate WebPages. Figure 4 schematically shows dependencies within the functionality of the NERVECENTER knowledge system according to the best mode embodiment of A prototype software in an ACCESS database the invention. is reduced to practice. An example of the add-on of the NERVECENTER software to business process of fixed-telephone connections is shown in figure 2b and 3. The geographic extension of the fixed-telephone connections over the The non-availability of parts of the Netherlands is shown. network in different parts of the Netherlands is indicated by red lights on the map of figure 3. The business steps or operations of the list of figure 2b that can not be These signals on executed, are indicated in red as well. the user interface are generated through error functions in the software components such as the KANVAS component.



15

20



11



05. 04. 2000

WHAT IS CLAIMED IS :



- A knowledge system compiled on a computer environment 1. or stored on a memory carrier, the knowledge system coupling information about one or more business processes or functions to one or more software components stored in the computer environment, and the knowledge triggering a signal about the business processes functions towards a user interface in case of a change in the software components.
- 2. The system as recited in claim 1 wherein said user interface is one of the group of a computer screen, a mobile telephone, a pager, a fax, or a panel, said screen, telephone or panel being linked to said computer environment.
- 3. The system as recited in claim 1 wherein said user interface is part of said computer environment.
- 4. The system as recited in claim 1 wherein said memory carrier is a floppy disk or a CD-ROM or a Digital Video Disk.
- 25 5. The system as recited in claim 1 wherein said coupled information is stored in a relational database stored on said computer environment.
- 6. The system as recited in claim 1 wherein at least one of the changes and the corresponding business functions or processes is stored on said computer environment.
- 7. The system as recited in claim 1 wherein said software components are coupled to physical infrastructure on which the business processes or functions are based.





8. A method of alerting about business functions or processes, the method comprising the steps of :

linking information about one or more business functions or processes to one or more software components stored on a computer environment;

providing a link to a user interface, said link being activated when at least one change is occurring in said software components.

10 9. A method of analyzing one or more business functions or processes, the method comprising the steps of :

linking information about the business functions or processes to one or more software components stored on a computer environment;

15 providing a link to a user interface;

activating said link by creating at least one change in said software components; and

monitoring the impact of said change on at least one of said business functions or processes.

- 10. The method as recited in claim 9 wherein said step of monitoring said impact is executed by analyzing a signal being generated on said user interface by said link.
- 25 11. A method of analyzing one or more business functions or processes, the method comprising the steps of :

linking information about the business functions or processes to one or more software components of at least two knowledge systems stored on a computer environment;

providing a link to a user interface, said link being activated when at least one change is occurring in said software components and generating a signal on a user interface;

comparing on said user interface the signals created by at least two of the knowledge systems.





10



13



05. 04. 2000

61

ABSTRACT

A knowledge system compiled on a computer environment or a memory carrier is disclosed. The knowledge system couples information about one or more business processes or functions to one or more software components stored in the computer environment, and the knowledge system triggers a signal about the business processes or functions towards a user interface in case of a change in the software components.

Figure 1a

05. 04. 2000





Figure 1 a



Message of the day

Installation task

Awo direct

Clientinfo

DBI

Outportend

Abort

: Move

change form subscription Note-address change Note-form change Change Involce number Request database Correct client name Administrative tasks Take over contract Screen number Database Hessages Stop Replace defect apparatus End T 65/188 rentcontract Request rentcontract Take over rentcontract Return within 8 days Change serviceform. Exchange apparatus End with contractor Invoice teleorder End rent contract New rent contract **Primatent** Change infrastructure New construction Migration (ISDN) Change password End of program

Connections

Login Login CIA

Logout CIA

Figure 2b.

Printed:02-04-2001

NUM BES

BILIT


Geographical information

3 Rayons workplaces



client Data

05:04-2000



Incident Control

Messages from and to internal and external suppliers

France